NEWPORT ZERO EXTRA PURIFIED

SAFETY DATA SHEET

SDS Reference No. : 96/40

Issue Date : May 2009

Revision No. : 2

I PRODUCT AND COMPANY IDENTIFICATION

1.1 Identification of the substance or preparation:

NEWPORT ZERO EXTRA PURIFIED GAS 300ML

1.2 Company identification:

NEWPORT ZERO EXTRA PURIFIED

1.3 Emergency contact number: 911

II COMPOSITION/INFORMATION ON INGREDIENTS

2.1 Chemical composition : blend of hydrocarbons consisting primarily of

propane, iso-butane and n-butane

2.2 Risk phrases : Extremely flammable gas
2.3 Classification/symbol : Extremely flammable gas/F+

III HAZARDS IDENTIFICATION

Extremely flammable liquified gas.

Eyes: contact with liquid or gas under pressure can cause frostbite (cold

burns)

Skin: contact with liquid can cause frostbite (cold burns)

Inhalation: may cause irritation to nose and throat, headache, nausea,

vomiting dizziness, euphoria, drowsiness. In poorly ventilated or

confined areas, unconsciousness and asphyxiation may result.

SDS 96/40, Revision 2, Page 1 of 4

IV	FIRST AID MEASURES	
4.1	Eye contact	: flush immediately with plenty of water for at least 15
		minutes. Hold eyelids apart while flushing to rinse entire surfaces of eye and lids with water. Get immediate medical attention.
4.2	Skin contact	: in case of cold burns, immediately place affected area in tepid to warm water, and keep immersed until circulation returns.
4.3	Inhalation	remove patient immediately to uncontaminated area. Keep warm and at rest. If breathing has stopped or shows signs of failing, commence artificial respiration. Get immediate medical attention.
4.4	Ingestion	: no emergency care anticipated, since product is a gas under normal conditions.
4.5	Immediate medical advice	: severe inhalation/over exposure may sensitize the heart to catecholamine-induced arrhythmias. Do NOT administer catecholamines to an over-exposed person.

V	FIRE FIGHTING MEASURES	
5.1	Special fire/explosion hazard	: can form explosive mixtures with air.
5.2 5.3	Products of combustion Fire fighting procedures/extinguishing media	: oxides of carbon : dry powder only

VI	ACCIDENTAL RELEASI	E MEASURES
6.1	Personal protection	: avoid contact with liquid and vapour.
6.2	Environmental precautions	: extinguish all naked flames and sources of
		ignition; disperse vapour.
6.3	Methods of cleaning up	: disperse vapour with water spray.

VII	HANDLING AND STORAG	GE
7.1	Precautions during handling	: do not use in the vicinity of naked flames and sources of heat.
7.2	Precautions during storage	: store away from sources of heat and ignition.
7.3	Packing materials	: aerosol containers

VIII	EXPOSURE CONTROLS/	PERSONAL PROTECTION
8.1	Special protective measures	: use in well ventilated areas
	Respiratory	: avoid exposure to vapour.
	Hand	: avoid contact
	Eye	: avoid contact
	Skin	: avoid contact
8.2	Exposure limits	: long term (8hr TWA) : 600 ppm
	_	short term (10 mins) : 750 ppm

IX PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical state : colourless liquified gas

9.2 Odour : odourless

9.3 Temperature characteristics : boiling point : -11°C

9.4 pH : not applicable

9.5 Solubility

- in water : insoluble

9.6 vapour pressure (25°C) : 3.18 - 3.46 bar

9.7 Density : 0.552

9.8 Flammability - liquid

 $(25^{\circ}C)$:

- vapour (15°C)

- flash point : -74 to -104°C - autoignition temperature : 405 - 550°C

- flammable limits : 1.8 - 10.0% in air

X STABILITY AND REACTIVITY

10.1 Stability : can form explosive mixtures with air

10.2 Conditions/materials to avoid : strong oxidising agents, peroxide, plastics,

chlorine dioxide, and concentrated nitric

acid.

10.3 Hazardous decomposition : normally carbon dioxide (carbon

products monoxide

if deficiency in oxygen supply)

XI TOXICOLOGICAL INFORMATION

11.1 Toxicological data

11.2 Effects of exposure

- eyes- skin: not applicable, product is a gas- skin: not applicable, product is a gas

- inhalation : not determined

- ingestion : not applicable, product is a gas

carcinogenicity : no known behaviour
 mutagenicity : no known behaviour
 tetratogenicity : no known behaviour

XII BIOLOGICAL INFORMATION

12.1 Mobility : evaporates into atmosphere

12.2 Persistence and degradability : degrades under atmospheric conditions

12.3 Ecotoxicity : no known ecological damage caused by this

product.

XIII DISPOSAL CONSIDERATIONS

13.1 Disposal of product : do not discharge into areas where there is

a risk of forming an explosive mixture.

13.2 Disposal of packaging : as with other aerosol packaging

SDS 96/40, Revision 2, Page 3 of 4

XIV TRANSPORT INFORMATION

14.1 UN No : 1950

14.2 UK road

- Hazchem code : 2WE

- Classification : flammable gas

14.3 RID-ADR

- Class : 2

XV	REGULATORY INFO	RMATION
15.1	Chemicals (Hazard Information and Packaging) Regulations 1994:	
	- Risk phrases	: R13 Extremely flammable liquified gas
	- Safety phrases	: S16 Keep away from sources of ignition - no
		smoking
		S9 Keep in a well ventilated place
	 Classification/symbol 	: Extremely flammable/F+
15.2	Exposure limits	: long term (8hr TWA) : 600 ppm
		short term (10 mins) : 750 ppm
15.3	National legislation	: The Chemicals (Hazard Information & Packing)
		Regulations 1994
		The Control of Substances Hazardous to Health
		Regulations
		The Health and Safety at Work Act

XVI	OTHER INFORMATION	ON
16.1	Recommended uses	: refills for cigarette lighters
16.2	Sources of data used to	: suppliers' data sheets
	compile data sheet	uuulluustuull
16.3	Sections revised	: 1.2; 9.7; 9.8.

This information is given in good faith and is based on information and tests believed to be reliable. The suitability of this product for any particular use is not suggested or implied. This document is not a specification and properties shown are not guaranteed.

SDS 96/40, Revision 2, Page 4 of 4